



Protection - Control - Identification - Tracking - Rfid solutions

[www.leghorngroup.in](http://www.leghorngroup.in)



# NFC/UHF RFID Minicable

3,5x250mm

3,5x1000mm



Compliant with ISO 17712: 2013

Pictures and drawings are purely indicative. – Made by LeghornGroup

23-7401-A691

**RFID MINICABLE** is a cable lock seal that offers a high level of safety due to its mechanical characteristics together with the use of radio frequency automatic identification technology.




**RFID MINICABLE** is a high security seal compliant with ISO 17712:2013

#### Indicative – Logistic e-Seals

- ISO14443A NFC tag
- ISO18000-6C UHF tag (EPC global UHF Class 1 Generation 2)
- Unique ID (no replica)
- Read/write User Memory

# RFID Minicable seal 3.5x250 mm – Technical drawing






## Radio frequency specifications

### RFID UHF

- Frequency: 860 – 960 MHz
- Reference RF Standard: ISO/IEC 18000-6C
- RF Protocol: EPCglobal Class 1 Gen2
- Technology: Passive
- Integrated circuit: Alien Higgs 3
- User read / write memory: yes, up to 512 bits
- Memory size : 96 bits up to 480 bits of EPC Memory
- TID (Tag Identifier): 64 bit, including 32-bit factory locked
- Password protection: yes
- Tamper Detection: no
- Read / write cycle: 100K
- Data retention: 50 year
- Reading Range: approx 10 cm




### RFID NFC

- Frequency: 13.56MHz
- Reference RF Standard: ISO 14443A
- Technology: Passive
- Integrated circuit: NXP NTAG213
- User read / write memory: yes, 144 bytes
- UID (Universal Identifier): 7 bytes
- Password protection: yes
- Tamper Detection: no
- Read / write cycle: 100K
- Data retention: 10 year
- Reading Range: approx 3 cm


## RFID Minicable seal

### Mechanical specifications


- Plastic box size: 42 mm\*46 mm\*25 mm
- Cable: Diameter: 3.5 mm, Length 200 mm
- Weight: 38 g
- Material: carbonitrured steel + shock-proof polystyrene  
in accordance with Restriction of Hazardous  
Substances (RoHS), European Directive 2002/EC
- Marking (option): Laser engraving for alphanumeric string, logo,  
barcode, QR code
- Operative Temperature: -20°C ~ 55°C
- Warranty: 1 year



## RFID Minicable seal 3.5x1000 mm – Technical drawing



## RFID Minicable seal Colours and marking options





## RFID Minicable seal 3.5x1000 mm – How to use it






## RFID Minicable seal 3.5 x250 mm – How to use it



## RFID Minicable seal : reading



STATUS **UNKNOWN**  
regardless if the seal is  
opened/closed/tampered



## Field of action of LeghornGroup



**PROTECTION:** We can protect your goods and assets with security seals and various products for tamper protection. The company can create bespoke, technical solutions to meet client's requirements.



**CONTROL:** We ensure goods and people can be monitored using security products and integrated complete hardware and software solutions that allow the operator to monitor and intervene in real time, even remotely.



**IDENTIFICATION:** LeghornGroup's understanding of authentication along with their innovative technical products and solutions allow users to uniquely and securely identify, goods, vehicles, containers, animals and people.



**TRACKING:** LeghornGroup's real time GPS tracking devices allow users to monitor location, status and movements of vehicles and people.



**RFID SOLUTIONS:** LeghornGroup also manufactures solutions for product authenticity; automatic identification systems using RFID to aid traceability of objects, animals and people, offering new and efficient operations to speed up the supply chain;





Protection - Control - Identification - Tracking - Rfid solutions

[www.leghorngroup.in](http://www.leghorngroup.in)

**FINDUS@**

[info@leghorngroup.com](mailto:info@leghorngroup.com)



**LeghornGroup Pvt Ltd**

No 295/4,8th Cross,4th Phase,Peenya

Industrial Area, Bangalore - 560058

Contact no :

+91 7019186193/9731711294/9538022871

Email id : [info@leghorngroup.in](mailto:info@leghorngroup.in)

Website : [www.leghorngroup.in](http://www.leghorngroup.in)

**LeghornGroup** – India  
[www.leghorngroup.in](http://www.leghorngroup.in)

**LeghornGroup** – Italy  
[www.leghorngroup.it](http://www.leghorngroup.it)

**LeghornGroup** – U.S.A.  
[www.leghorngroup.com](http://www.leghorngroup.com)

**LeghornGroup** – Belgium  
[www.leghorngroup.be](http://www.leghorngroup.be)  
[www.leghorngroup.nl](http://www.leghorngroup.nl)

**LeghornGroup** – Czech Republic  
[www.leghorngroup.cz](http://www.leghorngroup.cz)  
[www.leghorngroup.pl](http://www.leghorngroup.pl)

**LeghornGroup** – Greece  
[www.leghorngroup.gr](http://www.leghorngroup.gr)

**LeghornGroup** – Republic of  
Moldova  
[www.leghorngroup.ro](http://www.leghorngroup.ro)

**LeghornGroup** – España  
[www.leghorngroup.es](http://www.leghorngroup.es)