



**Mechanical
security seals
and
security bags**

india



PROTECTION - CONTROL - IDENTIFICATION - TRACKING - RFID SOLUTIONS

Field of action

LeghornGroup's main aim is to operate efficiently, lucratively and responsibly in the security and anti tampering sector.

LeghornGroup's desire to be a focus point within this sector is supported by its strong commitment to manufacture and develop innovative and highly effective solutions.



Protection. We can protect your goods and assets with security seals and various products for tamper protection. The company can create bespoke, technical solutions to meet client's requirements.



Control. We ensure goods and people can be monitored using security products and integrated complete hardware and software solutions that allow the operator to monitor and intervene in real time, even remotely.



Identification. LeghornGroup's understanding of authentication along with their innovative technical products and solutions allow users to uniquely and securely identify, goods, vehicles, containers, animals and people.




Tracking. LeghornGroup's real time GPS tracking devices allow users to monitor location, status and movements of vehicles and people.




RFID Solutions. LeghornGroup also manufactures solutions for product authenticity; automatic identification systems using RFID to aid traceability of objects, animals and people, offering new and efficient operations to speed up the supply chain;

Neptune seal: ISO 17712

Bolt lock high security seal



By LeghornGroup



Specifications

- Steel pin and polystyrene/ABS coated locking body
 - Compliant with ISO 17712:2013 as high security seal
 - Anti-spin construction to defeat high speed spin attempts at tampering
 - Working temperature: -40°C +120°C
 - Tensile strength: >1000 kg
 - Marking: laser
 - Progressive numbering up to 15 digits
 - Customisation up to 20 characters on one line
 - Logo, barcode and data matrix upon request
 - Available colours: orange, light blue, white, yellow red and green
- ■ ■ ■ ■ ■ ■ ■
- Further colours as pink, grey and brown can be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 250 seals in bags of 50 pcs
 - Box size: 39x19x16cm
 - Box weight: 13.3 kg
 - Pallet: 80x120x110 cm, kg 958 per 18.000 pcs
- CUSTOMS CODE: 83099090


info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Bizia Seal

No ISO 17712 - Bolt lock seal 70 mm



Specifications

- Galvanised iron pin and polystyrene/ABS coated body
- Locking Pin Diameter: 7mm
- Locking Pin Length: 70mm
- Working temperature: -20°C +60°C
- Tensile strength: 500/600 kgf
- Marking: laser
- Progressive numbering up to 10 digits
- Logo upon request
- Available colours: yellow and red



Further colours can be manufactured upon request.

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 500 seals in bags of 100 seals
- Box size: 30x30x38 cm
- Box weight: 20.5 kg

CUSTOMS CODE: 83099090

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Pandarus seal

No ISO bolt seal



Specifications

- Galvanised iron pin and polystyrene/ABS coated body
- Locking Pin Diameter: 7mm
- Locking Pin Length: 80mm
- Working temperature: -25°C +65°C
- Tensile strength: 750/850 kgf
- Marking: laser
- Progressive numbering up to 10 digits
- Logo upon request
- Available colours: yellow and red




Further colours can be manufactured upon request.

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 500 seals in bags of 100 pcs
- Box size: 48x28x23 cm
- Box weight: 24 kg

CUSTOMS CODE: 83099090



info@leghorngroup.in



Cableseal 1.5x180 mm

Cable seal




Specifications and design are subject to change without any notice or obligation from the manufacturer

Specifications

- Steel cable and anodised aluminium body
- Size: 1x180 mm
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Working temperature: -30°C +60°C
- Marking: laser
- Stainless steel cable upon request
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: blue, gold, red and green



CUSTOMS CODE: 83099090



Packaging

- Box with 1000 seals in bunches of 10 pcs
- Box size: 30x30x15cm
- Box weight: 8 kg
- Pallet: 80x120x95cm, 25000 pcs, kg 445

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Cableseal 1.5x180 mm

Cable seal




Specifications and design are subject to change without any notice or obligation from the manufacturer

Specifications

- Steel cable and anodised aluminium body
- Size: 1.5x180 mm. Available also in 1.5x300mm size
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Working temperature: -30°C +60°C
- Tensile strength: 2.77 kN
- Marking: laser
- Stainless steel cable upon request
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: blue, gold, red and green



CUSTOMS CODE: 83099090



Packaging

- Box with 500 seals in bunches of 10 pcs
- Box size: 30x30x15cm
- Box weight: 8,5 kg
- Pallet: 80x120x95cm, 25000 pcs, kg 445

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Cableseal 2.5x200 mm

Cable seal



Specifications

- Steel cable and anodised aluminium body
- Size: 2.5x200 mm. Available also in 2.5x300mm size
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Working temperature: -30°C +60°C
- Tensile strength: 7.99 kN
- Marking: laser
- Stainless steel cable upon request
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: blue, gold, red and green




Specifications and design are subject to change without any notice or obligation from the manufacturer

Packing

- Box with 500 seals in bunches of 10 pcs
- Box size: 32x30x15cm
- Box weight: 8,5 kg
- Pallet: 80x120x95 cm, 25000 pcs , kg 445

CUSTOMS CODE: 83099090




info@leghorngroup.in



Cableseal 3.5x250 mm

High security cable seal



Specifications

- Steel cable and anodised aluminium body
- Compliant with ISO 17712:2013 as high security seal
- Size: 3.5x250 mm
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Working temperature: -30°C +60°C
- Tensile strength: > 1000 kg
- Marking: laser
- Stainless steel cable upon request
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: blue, gold, red and green



Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 500 seals in bunches of 10 pcs
- Box size: 36x30x20cm
- Box weight: 19 kg
- Pallet: 80x120x90 cm, 15000 pcs , kg 590

CUSTOMS CODE: 83099090

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Cableseal 5x250 mm

High security cable seal




Specifications

- Steel cable and anodised aluminium body
- Compliant with ISO 17712:2013 as high security seal
- Size: 5x250 mm
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Working temperature: -30°C +60°C
- Tensile strength: > 1000 kg
- Marking: laser
- Stainless steel cable upon request
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: blue, gold, red and green



Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with 250 seals in bunches of 10 pcs
- Box size: 33x30x20cm
- Box weight: 17,5 kg
- Pallet: 100x120x115 cm, 15000 pcs , kg 1070

CUSTOMS CODE: 83099090

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Borea seal 1.5x200 mm

Cable seal with plastic body




Specifications and design are subject to change without any notice or obligation from the manufacturer

Specifications

- Steel cable with body in ABS plastic
- Size: 1.5x200 mm
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Marking: laser
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: orange, light blue, yellow, red, green and white



CUSTOMS CODE: 83099090



Packaging

- Box with 1000 seals
- Box size: 36x28.5x18 cm
- Box weight: 11.8 kg


info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Achelou seal 1.8x180 mm

Cable seal with hexagonal body



Specifications and design are subject to change without any notice or obligation from the manufacturer

Specifications

- Cable seal with hexagonal zinc head covered with ABS plastic
- Size: 1.8x180 mm
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Marking: laser
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: orange, light blue, yellow, red, green and white



CUSTOMS CODE: 83099090

Packaging

- Box with 1000 seals
- Box size: 33.5x30x14.8cm
- Box weight: 18 kg

info@leghorngroup.in



Atlas seal 4x270 mm

Fixed length cable seal




Specifications and design are subject to change without any notice or obligation from the manufacturer

Specifications

- Steel cable with body in ABS plastic
- Size: 4x270 mm
- Once the cable has been inserted, the closing mechanism locks to prevent pull-back
- Marking: laser
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and data matrix upon request
- Available colours: orange, light blue, yellow, red, green and white



CUSTOMS CODE: 83099090



Packaging

- Box with 500 seals
- Box size: 40x29x20 cm
- Box weight: 24 kg

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in





Twistseal

Wire seal

Specifications

- Seal made of polycarbonate and ABS
- To be used with different sealing wires or strings.
Any pliers for the correct closure is required.
- Working temperature: -30°C +60°C
- Marking: laser
- Progressive numbering up to 15 digits
- Logo and barcode available options
- Customisation up to 20 characters on one line
- Body of the seal available both in transparent or white colour
- Available colours for the insert: orange, blue, white, yellow, red and green
- Further colours may be manufactured upon request



Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 1000 seals in bags of 100 pcs
- Box size: 40x24x17cm
- Box weight: 3,1 kg
- Pallet: 80x120x185cm, 330 kg, 100000 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Ajaxseal


Wire seal



Specifications

- Polycarbonate seal
- Wire. Stainless Steel Multi Strand 304
- Working temperature: -30°C +60°C
- Marking: laser
- Progressive numbering up to 7 digits
- Customisation up to 7 characters on one line
- Small logo and barcode available upon request
- Available colours:
- Available colours:
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with seals
- Box size: cm
- Box weight: kg

CUSTOMS CODE: 39269097

info@leghorngroup.in



Anchorseal with G.I.wire 180mm

Wire seal




Specifications

- Seal made of polycarbonate and ABS
- To be used with different sealing wires or strings. Any pliers for the correct closure is required.
- Working temperature: up to 80°C
- Equipped with 180mm galvanised sealing wire or stainless steel wire
- Marking: laser
- Progressive numbering up to 7 digits
- Logo and barcode available options
- Customisation up to 10 characters on one line
- Body of the seal available both in transparent or plain colour
- Available colours for the insert: blue, white, yellow, red and green
- Further colours may be manufactured upon request



Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with 5000 seals
- Box size: 56x36x56cm
- Box weight: 17.5 kg

CUSTOMS CODE: 39269097

info@leghorngroup.in




Alluseal : aluminum meter seal



Specifications

- Alluseal is a completely aluminum security seal. It is suitable to be used with several sealing wires and requires appropriate pliers in order to be correctly applied.
- Material: selas 99.9% pure aluminium
- Diam. Ext. : mm 5
- Diam. Inside hole : mm 2
- Length : mm 12
- Customisation: using the appropriate press



Packaging

- Carton with 15.000 pcs
- Carton size: 26x19x22 cm
- Carton weight: 7,4 kg

CUSTOMS CODE: 83099090

info@leghorngroup.in



Anchor double lock

Drumseal



Specifications

- Seal made of HDPE (High-density polyethylene)
- To be used with different sealing wires or strings.
Any pliers for the correct closure is required.
- Working temperature: up to 65°C
- Tensile strength: 10 kgf
- Marking: laser
- Progressive numbering up to 7 digits
- Logo and barcode available options
- Customisation up to 10 characters on one line
- Body of the seal available both in transparent or plain colour
- Available colours for the insert: blue, white, yellow, red, green and pink
- Further colours may be manufactured upon request




Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 5000 seals
- Box size: 56x36x41 cm
- Box weight: 17.0 kg

CUSTOMS CODE: 39269097



info@leghorngroup.in



Hephaseal


Padlock seal



Specifications

- Polypropylene seal
- Tensile strength: 7.5 kgf
- Working temperature: -20°C +80°C
- Marking: laser
- Progressive numbering up to 7 digits
- Customisation up to 10 characters on one line
- Logo or barcode options upon request
- Available colours: white, yellow, red, blue, green and pink
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with 2800 seals
- Box size: 46x31x31 cm
- Box weight: 7.1 kg


CUSTOMS CODE: 39269097

info@leghorngroup.in




Padlock seal 180-1 round

Padlock seal



Specifications

- Plastic housing with 1mm locking insert in spring steel
 - Working temperature: -20°C to + 80°C
 - Tensile strength: 20 kgf
 - Marking: laser
 - Progressive numbering up to 7 digits
 - Logo and barcode available options
 - Customisation up to 10 characters on one line
 - Available colours for the insert: blue, white, yellow, red, green and pink
- ■ ■ ■ ■ ■
- Further colours may be manufactured upon request



Packaging

- Box with 2000 seals
- Box size: 46x31x30 cm
- Box weight: 12 kg

CUSTOMS CODE: 39269097

Specifications and design are subject to change without any notice or obligation from the manufacturer

info@leghorngroup.in



Drumseal numbered

Seal for drums



Specifications

- Polyethylene copolymer seal
- Working temperature: up to 65°C
- Tensile strength: 4/5 Kgf
- Marking: laser or hot stamping
- Progressive numbering up to 7 digits
- Logo upon request
- Customisation up to 7 characters
- Available colours: red, white, blue, pink, green and yellow
- Further colours may be manufactured upon request




Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 10000 seals
- Box size: 60x40x40cm
- Box weight: 10kg

CUSTOMS CODE: 39269097

17 mm (21/32")



52 mm (2" 3/64")



30 mm (1" 3/16")



16 mm (5/8")

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in




Epaseal 7x129 mm

Adjustable plastic seal




Specifications and design are subject to change without any notice or obligation from the manufacturer

Specifications

- Polypropylene seal
- Size 7x129 mm
- Working temperature: -30°C +60°C
- Tensile strength 27 kgf
- Marking: laser
- Progressive numbering up to 8 digits
- Customisation up to 8 characters on one line
- Available colors. Red, white, light blue, blue, green and yellow

- Further colours may be manufactured upon request

Packaging

- Box with 7000 seals
- Box size: 56x38x61 cm
- Box weight: 11.4kg



CUSTOMS CODE: 39269097


info@leghorngroup.in



Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in

Achilseal 2.5x275 mm

Adjustable plastic seal



Specifications


- Copolymer polypropylene seal
 - Size: 2.5x257 mm
 - Tensile strength: 9 kgf
 - Working temperature: -20°C +80°C
 - Marking: laser
 - Progressive numbering up to 15 digits
 - Customisation up to 20 characters on one line
 - Logo, barcode or Qr code upon request
 - Available colours: white, yellow, red, blue, green and pink
- ■ ■ ■ ■ ■
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 2000 seals
- Box size: 46x31x31cm
- Box weight: 5kg

CUSTOMS CODE: 39269097



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Abaseal 3x195 mm


Adjustable plastic seal



Specifications

- Polypropylene seal
 - Size: 3x195 mm
 - Tensile strength: 13kg
 - Working temperature: -30°C +60°C
 - Marking: laser
 - Progressive numbering up to 7 digits
 - Customisation up to 20 characters on one line
 - Logo, barcode and Qr code options upon request (barcode and Qr code only for white or yellow seals)
 - Available colours: orange, white, yellow, red, blue and green
- ■ ■ ■ ■ ■
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging:

- Box with 1000 seals in mats of 10 pcs
- Box size: 27x21x22cm
- Box weight: 1.4,kg
- Pallet: 100x120x185 cm, kg 261 , 16200 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in




Easytight 6x294 mm

Adjustable plastic seal



Specifications

- Polypropylene copolymer seal
 - Size: 6x294mm
 - Tensile strength: 247N
 - Working temperature: -30°C +60°C
 - Marking: laser or thermal printing
 - Progressive numbering up to 15 digits
 - Customisation up to 20 characters on one line
 - Logo, barcode and Qr code available upon request
 - Available colours: orange, light blue, white, yellow, red, blue and green
- ■ ■ ■ ■ ■ ■
- Further colours may be manufactured upon request



Packaging

- Box with 1000 seals
- Box size: 56x40x20cm
- Box weight: 4,5kg
- Pallet: 80x120x204 cm, 182 kg , 36000 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in




Bagseal 6x420 mm

Adjustable plastic seal



Specifications

- Polypropylene copolymer seal
- Size: 6x420 mm
- Tensile strength: 254N
- Working temperature: -30°C +60°C
- Marking: laser or thermal printing
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode and Qr code available upon request
- Available colours: orange, light blue, white, yellow, red, blue and green
- Further colours may be manufactured upon request



Packaging

- Box with 1000 seals
- Box size: 56x50x26cm
- Box weight: 5,4kg
- Pallet: 100x120x215cm, 193 kg , 32000 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in



Aethaseal 7x232 mm

Adjustable plastic seal



Specifications

- Polypropylene seal
- Size: 7x232 mm
- Tensile strength: 18 kgf
- Working temperature: -20°C +80°C
- Marking: laser
- Progressive numbering up to 7 digits
- Customisation up to 7 characters on one line
- Logo upon request
- Barcode possibility only at 5 digits and on white or yellow seals
- Available colours: white, yellow, red, blue, green and pink
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 1000 seals in strip of 10 seals
- Box size: 38x56x61cm
- Box weight: 16kg

CUSTOMS CODE: 39269097

info@leghorngroup.in



Endiseal 8x355 mm

Adjustable plastic seal



Specifications


- Polypropylene seal
- Size: 8x355mm
- Tensile strength: 40 kgf
- Working temperature: -20°C +80°C
- Marking: laser
- Progressive numbering up to 7 digits
- Customisation up to 15 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: white, yellow, red, blue, green and pink
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 1000 seals in strip of 10 seals
- Box size: 46x31x31cm
- Box weight: 6.1kg

CUSTOMS CODE: 39269097




info@leghorngroup.in



Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in

Hector seal 4x285 mm

Pull-tight seal with metal insert



Specifications

- Polypropylene seal with metal insert
- Size: 4x285mm
- Tensile strength: 23 kgf
- Working temperature: -20°C +80°C
- Marking: laser
- Progressive numbering up to 7 digits
- Customisation up to 15 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: white, yellow, red, blue, green and pink
- Further colours may be manufactured upon request




Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 2000 seals in strip of 10 seals
- Box size: 46x31x31cm
- Box weight: 5.9kg

CUSTOMS CODE: 39269097



info@leghorngroup.in



Hector seal 4x384 mm

Pull-tight plastic seal with metal insert



Specifications


- Polypropylene seal with metal insert
- Size: 4x384 mm
- Tensile strength: 24 kgf
- Working temperature: -20°C +80°C
- Marking: laser
- Progressive numbering up to 7 digits
- Customisation up to 11 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: white, yellow, red, blue, green and pink
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 1000 seals in strip of 10 seals
- Box size: 46x31x31cm
- Box weight: 4 kg

CUSTOMS CODE: 39269097



info@leghorngroup.in



Hector seal 7x414 mm

Pull-tight plastic seal with metal insert



Specifications


- Polypropylene seal with metal insert
 - Size: 7x414 mm
 - Tensile strength: 50 kgf
 - Working temperature: -20°C +80°C
 - Marking: laser
 - Progressive numbering up to 15 digits
 - Customisation up to 15 characters on one line
 - Logo, barcode or Qr code upon request
 - Available colours: white, yellow, red, blue, green and pink
- ■ ■ ■ ■ ■
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 1000 seals in strip of 10 seals
- Box size: 46x31x31cm
- Box weight: 6.4kg

CUSTOMS CODE: 39269097




info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Jupiter seal 2x280 mm

Pull-tight plastic seal with metal insert



Specifications


- Polypropylene seal with metal insert
 - Size: 2x280 mm
 - Tensile strength: 15 kgf
 - Working temperature: -20°C +80°C
 - Marking: laser
 - Progressive numbering up to 7 digits
 - Customisation up to 7 characters on one line
 - Logo, barcode or Qr code upon request
 - Available colours: white, yellow, red, blue, green and pink
- ■ ■ ■ ■ ■ ■
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 5000 seals
- Box size: 38x30x60cm
- Box weight: 9.5kg

CUSTOMS CODE: 39269097



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Jupiterseal 2x315 mm

Pull-tight plastic seal with metal insert




Specifications

- Polypropylene seal with metal insert
- Size: 2x315 mm
- Tensile strength: 108.8N
- Working temperature: -20°C +60°C
- Marking: laser or thermal printing (black or white)
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: orange, light blue, white, yellow, red, blue and green
- Further colours may be manufactured upon request



Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with 1000 seals in mats of 10 pcs
- Box size: 56x25x17mm
- Box weight: 2,3kg
- Pallet: 100x120x185 cm, 220 kg , 80000 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in



Jupiterseal 2x425 mm

Pull-tight plastic seal with metal insert




Specifications

- Polypropylene seal with metal insert
- Size: 2x425 mm
- Tensile strength: 108.8N
- Working temperature: -20°c +60°c
- Marking: laser or thermal printing (black or white)
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: orange, light blue, white, yellow, red, blue and green
- Further colours may be manufactured upon request



Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with 1000 seals in mats of 10 pcs
- Box size: 56x25x17cm
- Box weight: 2,8kg
- Pallet: 100x120x185 cm, 244 kg , 80000 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in



Jupiterseal 3.3x315 mm


Pull-tight plastic seal with metal insert



Specifications

- Polypropylene seal with metal insert
- Size: 3.3x315 mm
- Tensile strength: 217.4N
- Working temperature: -20°C +60°C
- Marking: laser or thermal printing (black or white)
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: orange, light blue, white, yellow, red, blue and green
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with 1000 seals in mats of 10 pcs
- Box size: 56x25x17cm
- Box weight: 2,4kg
- Pallet: 100x120x185cm, 212 kg, 80000 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Jupiterseal 3.3x425 mm


Pull-tight plastic seal with metal insert



Specifications

- Polypropylene seal with metal insert
- Size: 3.3x425 mm
- Tensile strength: 217.4N
- Working temperature: -20°C +60°C
- Marking: laser or thermal printing (black or white)
- Progressive numbering up to 15 digits
- Customisation up to 20 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: orange, light blue, white, yellow, red, blue and green
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer



Packaging

- Box with 1000 seals in mats of 10 pcs
- Box size: 56x25x22cm
- Box weight: 3,2kg
- Pallet: 100x120x191cm, 225 kg, 64000 pcs

CUSTOMS CODE: 39269097

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Tantalo seal 7x435 mm

Adjustable plastic seal with metal insert



Specifications


- Polypropylene seal with metal insert
- Size: 7x435 mm
- Tensile strength: 48 kgf
- Working temperature: -20°C +80°C
- Marking: laser
- Progressive numbering up to 15 digits
- Customisation up to 15 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: white, yellow, red, blue, green and pink
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 1000 seals in mats of 8 seals
- Box size: 42x33x41cm
- Box weight: 8.5 kg

CUSTOMS CODE: 39269097



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Tantalo seal 7x465 mm

Adjustable plastic seal with metal insert



Specifications


- Polypropylene seal with metal insert
- Size: 7x465 mm
- Tensile strength: 50 kgf
- Working temperature: -20°C +80°C
- Marking: laser
- Progressive numbering up to 15 digits
- Customisation up to 15 characters on one line
- Logo, barcode or Qr code upon request
- Available colours: white, yellow, red, blue, green and pink
- Further colours may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 500 seals
- Box size: 46x31x31cm
- Box weight: 6.3 kg

CUSTOMS CODE: 39269097



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Tantalo seal 7x500 mm

Adjustable plastic seal with metal insert




Specifications

- Polypropylene seal with metal insert
 - Size: 7x500 mm
 - Tensile strength: 50 kgf
 - Working temperature: -20°C +80°C
 - Marking: laser
 - Progressive numbering up to 15 digits
 - Customisation up to 15 characters on one line
 - Logo, barcode or Qr code upon request
 - Available colours: white, yellow, red, blue, green and pink
- ■ ■ ■ ■ ■
- Further colours may be manufactured upon request
- Specifications and design are subject to change without any notice or obligation from the manufacturer*

Packaging

- Box with 500 seals
 - Box size: 42x33x41cm
 - Box weight: 8.5 kg
- CUSTOMS CODE: 39269097



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Animal TAG for cattles



TRADITIONAL ANIMAL TAGS BY



Specifications

- Thermoplastic polyurethane (TPU) tags
- Size: 60x55 mm
- Tensile strength: 28/30 kg
- Marking: laser
- Logo, barcode or Qr code upon request
- To be used with appropriate pliers
- Available colours: yellow
- Further colours may be manufactured upon request



RFID CATTLE TAG LG55



Packaging

- Box with 2000 tags
- Box size: 18x13x13 inches
- Box weight: 15.30 kg

Animal TAG for sheep and pigs




TRADITIONAL ANIMAL TAGS BY



Specifications


- Thermoplastic polyurethane (TPU) tags
- Size: 50x42 mm
- Tensile strength: 28/30 kg
- Marking: laser
- Logo, barcode or Qr code upon request
- To be used with appropriate pliers
- Available colours: yellow
- Further colours may be manufactured upon request



Packaging



- Box with 2000 tags
- Box size: 18x13x13 inches
- Box weight: 11.20 kg

Animal TAG Plier



Specifications

- The suitable pliers for animal tags
- Made of steel



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Galvanized sealing wire



Specifications

- Galvanized annealed steel sealing wire
- Core wire: Ø mm 0.50
- Spiral wire: Ø mm 0.30
- Overall diameter 1,1 mm
- Standard spool: 1 kg – 400 m approx.
- Standard spool: 0.5 kg – 200 m approx.


CHEMICAL BREAKDOWN:			
C%	Mn%	P%	S%
0,08	0,45	0,035	0,035

MECHANICAL CARACTERISTICS:		
TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm²
1	10%	300/450

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 24 kg of sealing wire
 - Box size: 40x30x20 cm
 - Box weight: 24kg
 - Pallet: 80x120x95 cm, 768 kg
- CUSTOMS CODE: 73121065



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Stainless steel sealing wire



Specifications

- Annealed steel AISI 304
- Core diameter: Ø mm 0.50
- Spiral wire: Ø mm 0.30
- Overall diameter: 1.1mm
- Standard spool: 1 kg – 400 m approx.
- Standard spool: 0.5kg – 200 m approx.

CHEMICAL BREAKDOWN:

C%	Mn %	Si%	Ni%	Cr%	P%	S%
<= 0.08	<= 2.00	<= 1.00	8.00 – 10.50	18.00 – 20.00	<= 0.045	<= 0.030


Specifications and design are subject to change without any notice or obligation from the manufacturer

MECHANICAL CARACTERISTICS

TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1.00	10%	700/750

Packaging

- Box with 24 kg of sealing wire
 - Box size: 40x30x20 cm
 - Box weight: 24kg
 - Pallet: 80x120x95 cm, 768 kg
- CUSTOMS CODE: 73121020



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Copper sealing wire



Specifications

- Copper annealed ASTM B 49,92 - UNI EN 1977 - 2000
- Core diameter: Ø mm 0.50
- Spiral wire: Ø mm 0.30
- Overall diameter: 1.1mm
- Standard spool: 1 kg – 360 m approx.
- Standard spool: 0.5kg – 180 m approx.

Specifications and design are subject to change without any notice or obligation from the manufacturer

MECHANICAL CARACTERISTICS

TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1.00	10%	210/220


CHEMICAL BREAKDOWN

Cu%	Fe%	Pb%	As%	Ag%	Ni%	Sn%	S%
99,974	0,0035	0,0013	0,0011	0,0011	0,0008	0,0009	0,004

Packaging

- Box with 24 kg of sealing wire
- Box size: 40x30x20 cm
- Box weight: 24kg
- Pallet: 80x120x95 cm, 768 kg

CUSTOMS CODE: 74130000



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Brass sealing wire

Specifications



Specifications and design are subject to change without any notice or obligation from the manufacturer

- Brass annealed
- Core diameter: Ø mm 0.50
- Spiral diameter: Ø mm 0.30
- Overall diameter: 1.1mm
- Standard spool: 1 kg – 380 m approx.
- Standard spool: 0.5kg – 190 m approx.

MECHANICAL CARACTERISTICS

TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1.00	10%	400/430


CHEMICAL BREAKDOWN

Cu%	Zn%	Pb%	Fe%	Al%	Ni%	Sn%	S%
67,000	32,000	0,010	0,0014	0,010	0,049	0,016	0,05

Packaging

- Box with 24 kg of sealing wire
- Box size: 40x30x20 cm
- Box weight: 24kg
- Pallet: 80x120x95 cm, 768 kg

CUSTOMS CODE: 73121041



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Nylon copper sealing wire



Specifications

- Nylon copper sealing wire
- Core diameter: Ø mm 0.60 - 100% Polyamide
- Annealed copper spiral wire: Ø mm 0.30 compliant with ASTM 49,92 - UNI EN 1977 - 2000
- Overall diameter: 1.1mm
- Standard spool: 300gr– 180 m approx.

MECHANICAL CARACTERISTICS


TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1.00	10%	159/178

Specifications and design are subject to change without any notice or obligation from the manufacturer

Packaging

- Box with 36 spools - 0.3kg each spool
- Box size: 40x30x18cm
- Box weight: 11.20 kg
- Pallet: 80x120x95cm, 1152 spools

CUSTOMS CODE: 73129000



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Plastic coated stainless steel sealing wire



Specifications

- PVC plastic coated seven stainless steel cable wires
- Stainless steel diameter: Ø mm 0.32
- Overall diameter: 1mm
- Standard spool: 100 m – 406 gr approx.
- Standard spool: 250 m – 675 gr approx.

Specifications and design are subject to change without any notice or obligation from the manufacturer

1 MM DIAMETER STAINLESS STEEL SEALING WIRE TECHNICAL DATA

GRADE	N.W. (kg)	TS (Mpa)	EL %
304	483,88	785	75


1 MM DIAMETER STAINLESS STEEL SEALING WIRE CHEMICAL COMPOSITION (%)

C	Si	Mn	P	S	Cr	Ni
0,03	0,43	1,30	0,026	0,008	18,23	8,03

Packaging

- Box with 20 spools of 250m
- Box size: 40x24x17cm
- Box weight: 15kg
- Pallet: 80x120x111cm, 500kg, 640 spools
- Box with 45 spools of 100m
- Box size: 40x24x17cm
- Box weight: 13kg
- Pallet: 80x120x83cm, 430kg, 1440 spools

CUSTOMS CODE: 73121061



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



PRE-CUT SEALING WIRE

300mm

LeghornGroup offers a wide range of pre-cut sealing wires suitable for any need and which may be combined with any wire security seal.

LeghornGroup supplies pre-cut sealing with a standard length is 300mm but upon request different lengths can be supplied.


EXAMPLE OF PRECUT GALVANISED SEALING WIRE



GALVANIZED STEEL SEALING WIRE



STAINLESS STEEL SEALING WIRE



COPPER SEALING WIRE



BRASS SEALING WIRE



COPPER-NYLON SEALING WIRE



PLASTIC COATED 7-WIRE STAINLESS STEEL



Flat tie for closing plastic bags



Specifications

- Flat ties are simple, efficient tools for sealing plastic bags.
- Flexible strips made from plastic or metal/plastic composites.
- Can be pre-cut or on spools
- Various lengths and colors available
- Ideal for various industries due to ease of use and customization.
- They offer a balance of security, convenience, and reusability.



Usage Process

- Fill the plastic bag
- Twist the top of the bag
- Wrap the flat tie around the twisted section
- Fold or press ends to secure

Use Cases

Food Industry: Bread bags, produce, frozen items

Medical Supplies: Temporary closures for sterile packaging

Retail: Dry goods, DIY kits

Household Use: Trash bags, storage bags

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Flat tie for agriculture



Flat ties are flexible, flat strips made typically from plastic or composite materials, used in agriculture to secure, bundle, or train plants and agricultural materials. These ties are ideal for delicate crops, vines, stems, and various support systems.



Specifications

- Usually polyethylene or polypropylene, ensuring durability in outdoor environments.
- Metal core for higher strength
- Shape: Flat and wide surface area prevents cutting into stems or bark
- Available in various lengths and widths to suit different plant sizes and trellising needs
- Often green or brown for camouflage, but other colors are used for coding or visibility

Common Agricultural Uses

Plant Training: Supporting and guiding the growth of vines (e.g. tomatoes, grapes, cucumbers).

Tree Ties: Securing young trees to stakes during early growth stages.

Crop Bundling: Holding harvested crops (e.g. flowers, herbs) together for transport or sale.

Greenhouse Applications: Securing plastic films or shade cloths, organizing irrigation lines.

Vineyard and Orchard Management: Gentle yet firm binding without damaging bark or branches.

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Bologna pallet cover



Specifications

- Material: nylon
- Size: 130x160x 90 cm
- Four metallic ring at the end of the cover to be secured with security seals
- Customisation available upon request
- Waterproof option available upon request
- Transporent window for packing list available upon request
- Available colors:



By LeghornGroup

Specifications and design are subject to change without any notice or obligation from the manufacturer

Correct application



Place the pallet cover on the pallet to be covered and slide it along the four sides.



Pull tightly to cover the entire pallet and choose the corner of the pallet you want to seal



Place the seal behind the pallet tab and insert it into the two holes on the pallet cover. Then tighten very tight

Lion bag




Specifications

- Material: nylon
- Size: 81x61 cm ; 81x31 cm ; 41x61 cm
- Special locking security mechanism ZIP STOP
- Customisation available upon request
- Available color: blue
- Further colors may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

Size and position on a pallet



Closure system with ZIP STOP



info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Helsinki bag : document carry bags



Specifications

Our document carry bags are designed for the safe and organized transport of important paperwork, legal documents, contracts, and confidential files. Ideal for offices, government agencies, and courier services, these bags combine security with convenience.

Key features:

- Lightweight yet durable construction
- Zipper or sealable closure systems with ZIP STOP
- Optional tamper-evident seals and ID windows
- Available in various sizes and materials, including waterproof options
- With reinforced seams and customizable compartments, these bags ensure that sensitive documents are protected from damage, loss, or unauthorized access during transit.



Specifications

- Material: nylon
- Special locking security mechanism ZIP STOP
- Customisation available upon request
- Available color: blue
- Further colors may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Madrid bag: night deposit bags



Specifications

Night deposit bags are specially designed for safely depositing cash, checks, and other valuables into bank night depositories after business hours. Built for durability and security, they are trusted by retailers, restaurants, and service providers who need to make secure deposits at the end of the day.

Key features:

- Zipper closure with locking mechanisms or seal options
- Customizable with company logos or barcodes
- Available in reusable formats
- Any unauthorized attempt to open the bag is immediately visible, helping to prevent fraud and loss.

Size

Art: **MADRID 21x15 cm**

Art: **MADRID 25x25 cm**

Art. **MADRID 30x30 cm**

Specifications

- Material: nylon
- Special locking security mechanism ZIP STOP
- Customisation available upon request
- Available color: blue
- Further colors may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Oslo bag: cash-in transit bag



Specifications

Our tamper-evident cash bags are designed for banks, retail businesses, and CIT (cash-in-transit) services. Equipped with secure locking systems and unique serial numbers, they ensure the integrity of transported funds. Our bags are designed to meet the highest industry standards, offering durability, tamper protection, and traceability.

Key features:

- Zipper closure with locking mechanisms or seal options
- Customizable with company logos or barcodes
- Available in reusable formats
- Any unauthorized attempt to open the bag is immediately visible, helping to prevent fraud and loss.

Size

Art: Oslo 5 Cm (1" 31/32"): 35 (B) x 5 (L) x 30 (H) (13" 25/32" x 1" 31/32" x 11" 13/16")

Art: Oslo 10 Cm (3" 15/16"): 35 (B) x 10 (L) x 30 (H) (13" 25/32" x 3" 15/16" x 11" 13/16")

Specifications

- Material: nylon
- Special locking security mechanism ZIP STOP
- Customisation available upon request
- Available color: red, yellow, blue, green, white and black
- Further colors may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



London bag: cash-in transit bag



Specifications

Our tamper-evident cash bags are designed for banks, retail businesses, and CIT (cash-in-transit) services. Equipped with secure locking systems and unique serial numbers, they ensure the integrity of transported funds. Our bags are designed to meet the highest industry standards, offering durability, tamper protection, and traceability.

Key features:

- Zipper closure with locking mechanisms or seal options
- Customizable with company logos or barcodes
- Available in reusable formats with handles
- Any unauthorized attempt to open the bag is immediately visible, helping to prevent fraud and loss.

Size

- Art: **London 10** Cm: 35 x 10 x 30h (13" 25/32" x 3" 15/16" x 11" 13/16")
- Art: **London 15** Cm: 35x 15 x 30h (13" 25/32" x 5" 29/32" x 11" 13/16")
- Art: **London 20** Cm: 35 x 20 x 30h (13" 25/32" x 7" 7/8" x 11" 13/16")

Specifications

- Material: nylon
- Special locking security mechanism ZIP STOP
- Customisation available upon request
- Available color: red, yellow, blue, green, white and black
- Further colors may be manufactured upon request

Specifications and design are subject to change without any notice or obligation from the manufacturer

info@leghorngroup.in


Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Security cursor and security holder


A zipper closure in security bags is a tamper-evident sealing mechanism designed to provide reliable, reusable, and secure access control for high-value or sensitive items.

These zippers are specially engineered to work with LeghornGroup ZIPSTOP range of products to ensure contents are protected and any unauthorized access is easily detectable.



By LeghornGroup

Assembled slider and slider holder



Security Seal



Security seal housing



LeghornGroup zipper closure is composed by:

- A metallic security cursor
- A plastic security holder (2 items)



Mail bags: non-woven material



Mail Bags are protective packaging used for shipping documents, parcels, and goods.

A Non-Woven Material is Fabric-like material made from long fibers bonded together chemically, mechanically, or thermally.

Not woven material is often made from polypropylene (PP).

They are an environmentally responsible options are available without compromising performance.

Applications

- E-commerce Shipping
- Postal Services
- Retail and Clothing Delivery
- Healthcare Samples or Documentation
- Corporate Document Distribution



Types of Non-Woven Mail Bags

- **Flat Mailer Bags:** Envelope-style, often used for documents.
- **Courier Bags with Flap:** Includes a peel-and-seal adhesive flap.
- **Gusseted Mail Bags:** Expandable base or sides for bulkier items.
- **Security Mail Bags:** With tamper-evident features or zipper closures.

Each of our bags is fully customizable in terms of **size, color, closure system, and branding.**

Whether you need a standard solution or a tailor-made product, we ensure the highest levels of quality and security.

LeghornGroup mail bags can be sealed using an adjustable plastic seal.

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



Mail bags: Strong nylon material



Nylon mail Bags are Heavy-duty mailing bags made from high-strength woven nylon fabric. They are designed for repeated use, secure transport, and high-performance mailing.

Nylon mail bags are ideal for **secure, repeated transport** of documents and valuables.

They combine **durability, security, and efficiency** in high-demand mailing environments. Widely used in **banking, logistics, e-commerce, and institutional operations**.

Benefits

- **Strong & Durable:** Excellent resistance to tearing, punctures, and abrasion.
- **Water-Resistant:** Protects contents from rain and moisture.
- **Reusable:** Designed for long-term use in postal and courier systems.
- **Secure:** Often used with zippers, lockable chambers, or tamper-evident seals.

Applications

- Postal Services
- Banking and Finance (cash transport)
- Legal and Government Documents
- Medical and Pharmaceutical Deliveries
- E-commerce Return Logistics

Customization Options

- Sizes and shapes
- Color coding by department or route
- Printed logos, barcodes, or QR codes
- Internal compartments or foam inserts

Each of our bags is fully customizable in terms of **size, material, color, closure system, and branding**. Whether you need a standard solution or a tailor-made product, we ensure the highest levels of quality and security.

LeghornGroup mail bags can be sealed using an adjustable plastic seal.

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



LeghornGroup security bags

We specialize in the production of **security bags** that combine **innovative security features** with practical design, ensuring that any unauthorized attempt to open the bag is immediately visible, helping to prevent fraud and loss.

We offer a complete range of security bags designed for the safe transport and storage of cash, documents, valuables, and sensitive items. Below is an overview of our main product categories:

Security bags	
Cash Security Bags	Designed for transporting banknotes and coins securely. Available in reusable both with and without handles. Tamper-evident closures with ZIPSTOP with progressive numbers. Heavy-duty materials for durability
Night Deposit Bags	Used for after-hours bank deposits. Secure, lockable, and built for daily commercial use. <ul style="list-style-type: none">• Locking zipper systems or sealable closures• Transparent windows for labels• Available in various sizes
Document Security Bags	Ideal for transporting confidential documents such as contracts, legal papers, or internal communications. <ul style="list-style-type: none">• Tear-resistant materials• Sealable zippers or tamper-evident adhesives• ID windows and labeling areas
Courier & Transport Bags	Used by logistics teams and internal mail services. Reusable, durable, and customizable. <ul style="list-style-type: none">• Made for frequent use• Weatherproof designs• Sealable zippers

Each of our bags is fully customizable in terms of **size, color, closure system, and branding**. Whether you need a standard solution or a tailor-made product, we ensure the highest levels of quality and security.

info@leghorngroup.in

Protection - Control - Identification - Tracking - RFID solutions - www.leghorngroup.in



FINDUS@



LeghornGroup – Italy
www.leghorngroup.it

LeghornGroup – Czech Republic
www.leghorngroup.cz
www.leghorngroup.pl

LeghornGroup – U.S.A.
www.leghorngroup.com

LeghornGroup – Greece
www.leghorngroup.gr

LeghornGroup – Belgium
www.leghorngroup.be
www.leghorngroup.nl

LeghornGroup – Republic of Moldova
www.leghorngroup.ro

LeghornGroup – India
www.leghorngroup.in

LeghornGroup – Spain
www.leghorngroup.es



LeghornGroup Pvt Ltd

No 295/4,8th Cross,4th Phase,Peenya Industrial Area, Bangalore - 560058

+91 7019186193/9731711294/9538022871

Email id : info@leghorngroup.in - Website : www.leghorngroup.in

INDIA

PROTECTION - CONTROL - IDENTIFICATION - TRACKING - RFID SOLUTIONS